PRINTER DRIVER C PRINTER DRIVER B PRINTER DRIVER D SELECT SELECT PRINTER DRIVER A NETWORK SELECT SELECT PRINTER : DRIVER E SELECT VIRTUAL DRIVER PRINTING CONDITION 10 PRINTING DATA

FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5A

PRINTER RANK SETTING				
EVENT	PRIORITY RANK			- 5
TYPE OF APPLICATION	⇒ 1 COLOR/MONO			1
RESOLUTION	†	2	NO. OF COPIES	
	⇒	3	PAPER SIZE	1
·	⇒	4	ACTION FOR BUSY/ERROR	1
	⇒	5		1
	†	6		1
			OK CANCEL	1

FIG. 5B

PRINTER CONDITION SETT	ING
PRINTER A///// PRINTER A///// PRINTER B PRINTER C PRINTER D PRINTER E PRINTER F PRINTER G	SETTING OF PRINTER A

A construction of the second section of the second second

51

FIG. 6A

PRINT				
PRINTER NAME (N)	VIRTUAL DRIVER	▼ PROPERTY (P)		
STATUS:	IDLING			
TYPE:		60a		
PLACE:	172.16.52.49:	OUTPUT TO FILE (L)		
COMMENT:				
- PRINTING RANGE		PRINTING RANGE		
⊙ ALL (<u>A</u>)		NO. OF COPES (C): 1		
O PRESENT PAGE (☐ PRINT IN THE UNIT OF NO. OF COPIES (T)		
O SPECIFY PAGE (C	GE BY SEPARATION			
PAGE NUMBERS BY	THE COMMA SUCH			
AS OR SINKING	BY THE HYPHEN			
SUCH AS				
OBJECT OF PRINT (W); DOCUMENT ▼	PRINT SPECIFIED (R): ALL PAGE ▼		
		OK CANCEL		
OPTION		OR CANGED		
		60		
	PRINTER CONDITIO	AL CETTERIC		
	PRINT SETTING			
	⊙ COLOR OMONO			
DIC 6D	NO. OF COPIES 1-100			
FIG. 6B	-	▼ ⊙VERTICAL OLATERAL		
	RESOLUTION 600)dpi ▽		
		OK CANCEL		
		OR CHERCEZ		
FIG. 6C				
riu. oc				
	PRINTER STATUS			
	INVESTIGATION OF	PRINTER _ 62a		
	A STATUS			
PRINTER STATUS		PRINTER STATUS		
PRINTER A BUSY		PRINTER A IDLE, START OF620		
INVESTIGATION (PRINTING		
В				
		DDINITED STATUS		
PRINTER STATUS UNABLE TO PRINT RECAUSE 62c FND OF PRINTING 6				
UNABLE TO PRINT BECAUSE OZC END OF PRINTING PRINTER A AND PRINTER B				
ADE DIEV	TIMITER D			

FIG. 7A

1	2	3	4	5
COLOR/ MONO	NO. OF COPIES		ACTION OF BUSY (INCLUDING ERROR)	TYPE OF APPLICATION (FILE)

FIG. 7B

PRINTER A	1,[MONO]/2,[1-9]/3,[A4 OR LESS]/4,[TO PRINTER B]/5,[doc,txT,Xls]
PRINTER A	1,[MONO]/2,[10-9999]/3,[A3 OR LESS]/4,[TO PRINTER A]
PRINTER A	1,[COLOR]/5,[pm85]

FIG. 7C

CASE 1 PROPERTY SETTING 1,[MONO]/2,[12]/3,[A5]/4,[TO PRINTER A]	→SELECT PRINTER B →PRINTER B ERROR →PRINT BY PRINTER A
CASE 2 PROPERTY SETTING 1,[MONO]/2,[2]/3,[A4]/4,[TO PRINTER B]	→SELECT PRINTER A →PRINTER A IDLING →PRINT BY PRINTER A
CASE 3 PROPERTY SETTING 1,[COLOR]	→PRINT BY PRINTER C
CASE 4 PROPERTY SETTING 5,[pm85]	→PRINT BY PRINTER C